Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(("output information" or "output result") and repair and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:18
		((enter$2 or input) near2 ((work or repair) near2 (complet$4 or finish$2 or enter$3))) and ((conclusion or evaluation) near2 (enter$2 or input)and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:55
		((("expert system" same ("rule system")) same combined) and @py<"2003"	US-PGPUB; USPAT	OR	ON	2005/12/21 14:51
L1	0	"2004015465" and "determines an action"	US-PGPUB; USPAT	OR	OFF	2005/12/24 10:40
L2	0	"2004015465" and "determines an action"	US-PGPUB; USPAT	OR	OFF	2005/12/24 10:42
L3	1	"2004015465" and "determines"	US-PGPUB; USPAT	OR	OFF	2005/12/24 10:42
S1	1	"2004015465"	US-PGPUB; USPAT	OR	OFF	2005/12/24 10:39
S2	15093	((diagnos$ or repair) and (expert or knowledge) and computer) and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:08
S3	10107	((diagnos$ or repair) and (expert or knowledge) and computer) and @py<"2002"	US-PGPUB; USPAT	OR	OFF	2005/12/21 14:23
S4	444	S3 and toggle	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:08
S5	1	S4 and ("5 stages" or "five stages")	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:10
S6	94	S2 and ("5 stages" or "five stages")	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:12
S7	27	S2 and ("radix-4")	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:12
S8	68	S6 not S7	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:20
S9	94	("expert system" same repair) and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:22

Ref	Hits	Search Query	DBs	Operator	Plurals	Time Stamp
S10	73	("expert system" same repair) and @py<"2002"	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:23
S11	60	S10 and display	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:46
S12	57	S11 and input	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:46
S13	52	S12 and (output or outcome)	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:36
S14	20	S13 and evaluation$	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:29
S15	6	S14 and suggest$	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:47
S16	5	S15 and actual	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:48
S17	3	S16 and rule	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:53
S18	1	"4837735".pn. and "expert system"	US-PGPUB; USPAT	OR	OFF	2005/12/21 14:22
S19	1	"4837735".pn. and "rule system"	US-PGPUB; USPAT	OR	OFF	2005/12/21 13:57
S20	0	"4837735".pn. and toggle	US-PGPUB; USPAT	OR	OFF	2005/12/21 14:22
S21	1	"4837735".pn. and switch	US-PGPUB; USPAT	OR	OFF	2005/12/21 14:22
S22	240	S3 and "expert system" and ("rule base" or "rule system")	US-PGPUB; USPAT	OR	ON	2005/12/21 14:25
S23	114	S3 and ("expert system" same ("rule base" or "rule system"))	US-PGPUB; USPAT	OR	ON	2005/12/21 14:41
S24	107	S23 and (toggle or change or switch)	US-PGPUB; USPAT	OR	ON	2005/12/21 14:29
S25	58	S23 and ("expert system" same (toggle or change or switch))	US-PGPUB; USPAT	OR	ON	2005/12/21 14:30
S26	6	S23 and ("rule system" same (toggle or change or switch))	US-PGPUB; USPAT	OR	ON	2005/12/21 14:34

S27	3	S25 and S26	US-PGPUB; USPAT	OR	ON	2005/12/21 14:30
S28	12	S3 and (("expert system" same ("rule base" or "rule system")) same combin$)	US-PGPUB; USPAT	OR	ON	2005/12/21 14:44
S29	3	S3 and (("expert system" same ("rule system")) same combin$)	US-PGPUB; USPAT	OR	ON	2005/12/21 14:48
S30	3	(("expert system" same ("rule system")) same combined) and @py<"2003"	US-PGPUB; USPAT	OR	ON	2005/12/21 14:56
S31	1	"6012015".pn. and switch	US-PGPUB; USPAT	OR	ON	2005/12/21 14:59
S32	1	"6012015".pn. and change	US-PGPUB; USPAT	OR	ON	2005/12/21 14:57
S33	1	"6012015".pn. and between	US-PGPUB; USPAT	OR	ON	2005/12/21 14:57
S34	1	"6012015".pn. and "expert system"	US-PGPUB; USPAT	OR	ON	2005/12/21 15:02
S35	1	"6012015".pn. and "rule system"	US-PGPUB; USPAT	OR	ON	2005/12/21 15:05
S36	0	"6012015".pn. and user	US-PGPUB; USPAT	OR	ON	2005/12/21 15:05
S37	1	"6012015".pn. and operator	US-PGPUB; USPAT	OR	ON	2005/12/21 15:06
S38	1	"2004015465" and user	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:17
S39	1	"6529954".pn. and user	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:18
S40	1	"6529954".pn. and (user adj2 select$)	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:27
S41	414	("expert system" or "rule system") and "user can select"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:28
S42	218	S41 and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:28
S43	18	("expert system" and "rule system") and "user can select"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:34

S44	10	S43 and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:28
S45	0	("expert system" and "rule system") and "user can toggle"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:35
S46	141	"user can toggle" and @py<"2003" and computer	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:01
S47	0	("user can toggle" same (on near2 off)) and @py<"2003" and computer	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:53
S48	0	("user can toggle" same (on near2 off)) and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:54
S49	0	("user can toggle" same (on near2 off))	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:54
S50	0	("user can select" same (on near2 off))	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:54
S51	2	((on near2 off))	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:55
S52	0	"on and off"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:55
S53	0	"Off and on"	US-PGPUB; USPAT	OR	OFF	2005/12/21 16:55
S54	172	"user can toggle" and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:02
S55	32	S13 not S14	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:29
S56	15	S12 and (output or outcome) and implement	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:37
S57	42	S12 and (output or outcome) and implement$	US-PGPUB; USPAT	OR	OFF	2005/12/21 17:56
S58	0	"6298308".pn. and (repair near4 outcome)	US-PGPUB; USPAT	OR	OFF	2005/12/23 11:27
S59	1	"6298308".pn. and repair	US-PGPUB; USPAT	OR	OFF	2005/12/23 11:29
S60	0	"6298308".pn. and (results near4 repair)	US-PGPUB; USPAT	OR	OFF	2005/12/23 11:39

S61	1	"6298308".pn. and (output)	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:41
S62	1	"6298308".pn. and repair	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:44
S63	1	"6298308".pn. and personal	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:44
S64	0	"6298308".pn. and outcome	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:45
S65	0	"6298308".pn. and results	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:45
S66	0	"6298308".pn. and (feedback or evaluztion)	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:48
S67	1913	((work or repair) near2 (complet$4 or finish$2 or enter$3)) and (conclusion or evaluation) and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:50
S68	1484	((work or repair) near2 (complet$4 or finish$2 or enter$3)) and (conclusion or evaluation) and @py<"2002"	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:52
S69	83	((enter$2 or input) near2 ((work or repair) near2 (complet$4 or finish$2 or enter$3))) and (conclusion or evaluation) and @py<"2002"	US-PGPUB; USPAT	OR	OFF	2005/12/23 13:00
S70	2	((enter$2 or input) near2 ((work or repair) near2 (complet$4 or finish$2 or enter$3))) and ((conclusion or evaluation) near2 (enter$2 or input))and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:56
S71	3	((enter$2 or input) near2 ((work or repair) near2 (complet$4 or finish$2 or enter$3))) and ((conclusion or evaluation) near3 (enter$2 or input))and @py<"2003"	US-PGPUB; USPAT	OR	OFF	2005/12/23 12:56
S72	2	((enter$2 or input) adj2 ((work or repair) near2 (complet$4 or finish$2 or enter$3))) and (conclusion or evaluation) and @py<"2002"	US-PGPUB; USPAT	OR	OFF	2005/12/23 13:17
S73	789	("output information" or "output result") and repair and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:19
S74	0	("output information" or "output result") and repair and ("results of repairs" or "results of repair" or "result of repairs" or "result of repair")and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:23
S75	0	repair and ("results of repairs" or "results of repair" or "result of repairs" or "result of repair")and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:21

S76	0	("results of repairs" or "results of repair" or "result of repairs" or "result of repair")and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:21
S77	0	("results adj2 repairs" or "results adj2 repair" or "result adj2 repairs" or "result adj2 repair")and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:22
S78	735	("output information" or "output result") and repair and result and @py<"2002"	US-PGPUB; USPAT	OR	ON	2005/12/23 13:42
S79	1	"2004015465" and user	US-PGPUB; USPAT	OR	OFF	2005/12/23 13:28
S80	2	"20010056315" or "6298308".pn.	US-PGPUB; USPAT	OR	ON	2005/12/23 13:42
S81	0	S80 and (result or outcome) same repair	US-PGPUB; USPAT	OR	ON	2005/12/23 13:43
S82	16316	@py<"2002" and (result or outcome) same repair	US-PGPUB; USPAT	OR	ON	2005/12/23 13:43
S83	4	@py<"2002" and ((result or outcome) same repair) and ((enter$2 or input$4) adj2 conclusion)	US-PGPUB; USPAT	OR	ON	2005/12/23 13:50
S84	0	@py<"2002" and (((input) adj2 result) adj2 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 13:51
S85	1	(((input) adj2 result) adj2 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 13:52
S86	7262907	@py<"2003"(((input)) adj2 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 13:52
S87	128	@py<"2003" and (((input)) adj2 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 13:52
S88	75	@py<"2002" and (((input)) adj2 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 14:55
S89	0	"6298308".pn. and previous	US-PGPUB; USPAT	OR	ON	2005/12/23 14:56
S90	3	"6298308".pn. or "20010056315" or "5831854".pn. and previous	US-PGPUB; USPAT	OR	ON	2005/12/23 14:58
S91	1	("6298308".pn. or "20010056315" or "5831854".pn.) and previous	US-PGPUB; USPAT	OR	ON	2005/12/23 14:58
S92	0	("6298308".pn. or "20010056315" or "5831854".pn.) and history	US-PGPUB; USPAT	OR	ON	2005/12/23 14:58

S93	2	("6298308".pn. or "20010056315" or "5831854".pn.) and maint$5	US-PGPUB; USPAT	OR	ON	2005/12/23 15:29
S94	2	("6298308".pn. or "20010056315" or "5831854".pn.) and (evaluation or assessment)	US-PGPUB; USPAT	OR	ON	2005/12/23 15:32
S95	40	@py<"2002" and ("final evaluation" or "final assessment") and repair	US-PGPUB; USPAT	OR	ON	2005/12/23 15:41
S96	0	@py<"2002" and (("final evaluation" or "final assessment") near4 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 15:54
S97	0	@py<"2003" and (("final evaluation" or "final assessment") near4 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 15:36
S98	179	@py<"2002" and ("final evaluation" or "final assessment") and maintenance	US-PGPUB; USPAT	OR	ON	2005/12/23 15:41
S99	155	S98 not S95	US-PGPUB; USPAT	OR	ON	2005/12/23 15:41
S10 0	20	@py<"2002" and (("final evaluation" or "final assessment") same input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:15
S10 1	40	@py<"2002" and ((feedback or confidence) near3 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:27
S10 2	5	@py<"2002" and (((feedback or confidence) near3 repair) same input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:35
S10 3	0	@py<"2002" and (("results of" near3 repair) same input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:35
S10 4	0	@py<"2003" and (("results of" near3 repair) same input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:36
S10 5	331	@py<"2003" and (repair near4 input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:37
S10 6	203	@py<"2002" and (repair near4 input)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:39
S10 7	132	@py<"2002" and (input adj4 repair)	US-PGPUB; USPAT	OR	ON	2005/12/23 16:39